

TBA	Type	Botanic Name	Common Name	Alt	Who	PS	CO Ntv	RM Ntv	Water	Bloom color	Zone	Height (Hs)	Light	Bloom Time	Fruit Color (Vs)	Days to Harvest (Vs)	Notes	Width
05/07-05/08	A	Linum grandiflorum	flowering flax - annual		DC				M	scarlet	2	12-24"	S				dark-eyed scarlet flowers, leaves grey/green	6-12"
05/07-05/08	G	Calamagrostis x acutiflora 'Karl Foerster' ?	Karl Foerster Feather Reed grass	6500	FC				L	R-bronze to buff	4	4-5"	S-PS	jn-jl			to 6500', upright, reliable, tolerates various conditions, anti-deer	18-24"
05/07-05/08	G	Calamagrostis x acutiflora 'Overdam' ?	Overdam Feather Reed grass	6200	FC				L	gold-tan	4	1-3'	S-PS	aug			to 6200', cream white leaves w/ mid green stripe, anti-deer	1-3'
05/07-05/08	G	Helictotrichon sempervirens ?	Blue Oat grass, Blue Avena	8500	FC				L	buff	3	2-3'	S	jn-jl			to 8500', consistent rounded shape, don't cut in spring, bluish-green	18-24"
05/07-05/08	G	Sporobolus heterolepis ?	Prairie Dropseed grass	7000	FC				L	gray-G	3	24-30"	S	jl-s			to 7000', clump, fall-orange, anti-deer	18-24"
05/07-05/08	H	FENNEL 'Bronze' (Foeniculum vulgare)	Bronze' fennel		G				M	Y	5	48"	S	jn-jl	N/A	N/A	to 6500', smokey-bronze delicately cut foliage, butterflies	1.5-3'
05/07-05/08	H	STEVIA rebaudiana Stevia	stevia - annual		G				H	W	10	5"	S-PS		N/A	N/A	"the sugar herb", sweeter than sugar, no calories, prune flowers for better flavored leaves	1-2'
05/07-05/08	H	MARJORAM origanum marjorana 'Sweet' (Green)	Sweet' marjoram - annual		G				L	W		12"	S	aug-s	N/A	N/A	gray-green leaves w/spicy scent flavors savory dishes, sachets and soaps. Great potted plant.	1-2'
05/07-05/08	P	AJUGA reptans 'Mahony'	Bugleweed	7500	G				L	B	3	6"	ps-sh	SP			to 7500', groundcover, varigated foliage of burgundy, creamy white, green with blue flower	1-2'
05/07-05/08	P	HEUCHERA 'Carnival Limeade'	Carnival Limeade' coral bells	8000	G				L-M	W	5	10-12"	PS-SH	m-jn			to 8000', bright lime-green foliage will brighten any corner	10-15"
05/07-05/08	P	OREGANO 'Italian' (Origanum x Majoricum)	Italian' oregano - annual		G				L-M	W	6	24"	S	jl-aug	N/A	N/A	Small light green leaves, has sweeter flavor than other oreganos, x of oregano & marjoram	10-15"
05/07-05/08	P	Agastache rupestris	Hyssop, sunset	6500	DC	y		y	L	O-P	5	2-3'	S	jn-s			to 6500', licorice/mint fragrance, hearty, hummingbirds	2-3'
05/07-05/08	P	Hyssopus officinale	hyssop		DC				L-M	pur-B	4	18-24"	S-PS	jn-s			bees, butterflies, avoid west sun, anti-deer, rock garden, fragrant	12-18"
05/07-05/08	P	Lovage Levisitcum	Lovage		DC				L-M			36-72"	S-PS				replaces parsley or celery, high salt content, dig root in fall as vegetable	32"
05/07-05/08	P	Marrubium vulgare	white horehound		DC				L	W	3	24-30"	S	jn-s			rock garden, well-drained soil, anti-deer, no flowers 1st yr, dead-head, invasive in many states	12"
05/07-05/08	P	Melissa officinalis	lime balm		DC				L-M	W,Y	3	18-24"	S-PS				avoid w exposure, use in teas, salads, soups & sauces	18-36"
05/07-05/08	P	Origanum vulgare	hot oregano		DC				L	P,Pur,W	4	1-3'	S				use leaves fresh or dried, bees, butterflies	1-2'
05/07-05/08	P	Prunella vulgaris	self heal, heal all		DC				M	Pur	4	1-2'	PS				spreads, deadhead, use fresh or dried medicinally	9"
05/07-05/08	P	Salvia officinalis	common sage		DC				L-M	B	4	24-30"	S				butterflies, use leaves fresh or dried, anti-deer	24-30"
05/07-05/08	P	Sanguisorba minor	salad burnet		DC				M	G,Pur	4	9-24"	S				use young leaves, remove old leaves & bloom stalks, use in salads, soups, vinegars, cold drinks	12-24"
05/07-05/08	P	Sorrel, Red Veined Rumex sanguineus	red-veined sorrel, dock		DC				M	G-Brn	5	12-18"	S				use young edible leaves, remove old, salads, volunteers	12-18"
05/07-05/08	P	Thyme, culinary Thymus vulgaris	thyme, cooking		DC				L-M	pale pur	5	6-12"	S	m-jn			use leaves fresh or dried, soups, stews sauces, meat & fish dishes, butterflies, bees	6-12"
05/07-05/08	S	Amelanchier alnifolia	SERVICEBERRY, SASKATOON	10000	FC		y	y	L	W	2	6-12'	S-PS	apr-m	B-PU		to 10,000', edible fruit, fall yel-red, shrub or multi-stem small tree, native	6-8'

05/07-05/08	S	<i>Amorpha canescens</i>	LEADPLANT	7500	FC		y	y	VL	B-PU	3	1-3'	S	JUN-J			to 8000', good drainage, leaves out late, stunning bloom	2-4'
05/07-05/08	S	<i>Abies concolor</i>	White,Concolor Fir - Charming	10000	LP				L-M		3	dwarf	S				to 10,000', more water than pines, rockgard	
05/07-05/08	S	<i>Amelanchier alnifolia</i>	serviceberry. Saskatoon	10000	PF		y	y	L	W	2	6-12'	S-PS	apr-m	B-PU		to 10,000', edible fruit, fall yel-red, shrub or multi-stem small tree, native	6-8'
05/07-05/08	S	<i>Aronia x prunifolia ?</i>	Purple Chokeberry	8500	FC				L	W	4	8-10'	S	may			to 8500', fall - edible purple fruit, fall - red, high antioxidants	6-8'
05/07-05/08	S	<i>Atriplex canescens</i>	SALTBUSH, FOUR WING	8000	FC		y	y	VL	Y	4	3-6'	S	JUL-A			to 8000', native, female, 4 winged fruit, soil stabilization	2-4'
05/07-05/08	S	<i>Buddleia alternifolia 'Argentea'</i>	BUTTERFLY BUSH, SILVER FOUNTN.	8000	FC	y	y		L	L	4	10-15'	S	JUN			to 8000', fragrant, blooms on old branches, PS 1998	10-12'
05/07-05/08	S	<i>Caragana arborescens</i>	TIDY PEASHURB	10000	FC				L	Y	3	6-10'	S	M			to 8000', Cheyenne Station, less suckering	4-8'
05/07-05/08	S	<i>Caragana microphylla 'Tidy' ?</i>	Tidy Peashrub	8000	FC				L	Y	3	4-8'	S	m-jn			to 8000', open growth pattern, southwestern look, anti-deer	4-8'
05/07-05/08	S	<i>Caryopteris clandonensis</i>	SPIREA, DARK KNIGHT	8500	FC				L	B-PU	5	3-4'	S	SUM			to 8500', bees, bloom new wood, cut to 6-9" spring	2-3'
05/07-05/08	S	<i>Chaenomeles japonica 'Cheyenne Red'</i>	QUINCE, CHEYENNE RED FLOWERING	6500	FC		y		L	R	5	4-5'	S-PS	may			to 6500', Cheyenne Station, some winter protection	5-6'
05/07-05/08	S	<i>Chrysothamnus nauseosus var. nauseosus</i>	RABBITBRUSH, BABY BLUE	8000	FC	y	y	y	VL	Y	4	16-24"	S-PS	aug-s			to 8000', blue-grey leaves, PS 2011	2-4'
05/07-05/08	S	<i>Crataegus ambigua</i>	Russian Hawthorn	9500	PF				L-M	W	4	15-25'	S	m			to 9500', fall red fruit, thorns, horizontally-tiered branching, OK under power lines	15-25'
05/07-05/08	S	<i>Cornus sericea 'Isanti' ?</i>	Isanti Dogwood	8500	FC				M	W	3	4-5'	S-SH	m-jn			to 8500', red stems, fall - pur/red, white berries	4-6'
05/07-05/08	S	<i>Cotoneaster lucidus ?</i>	Hedge Cotoneaster	10,000	FC				L	P-W	2	6-8'	S-PS	may			to 10,000', black berries into winter, fall - ora/red, pruning OK	5-8'
05/07-05/08	S	<i>Cytisus purgans</i>	BROOM, SPANISH GOLD(R)	6200	FC	y			L	Y	4a	3-4'	S-PS	SPR			to 8000', some winter water, PS 2000	4-6'
05/07-05/08	S	<i>Ephedra equisetina (Joint Fir)</i>	JOINT FIR, BLUESTEM or Mormon Tea	7000	FC				L	Y	4	3-5'	S-PS	M-JUN			to 7000', evergreen, bright red berries late June	2-3'
05/07-05/08	S	<i>Fallugia paradoxa</i>	Apache Plume	8500	PF		y	y	VL	W	3	3-5'	S	m			to 8500', native, silver/pink seed heads, PS 2002	3-5'
05/07-05/08	S	<i>Euonymus fortunei 'Emerald Gaiety'</i>	EUONYMUS, EMERALD GAIETY	6300	FC				M		5	3-4'	PS-SH				to 6300', variagated leaves, slow grower	3-4'
05/07-05/08	S	<i>Euonymus fortunei 'Emerald 'n Gold'</i>	EUONYMUS, EMERALD 'N GOLD	6300	FC				M		5	18'24"	PS-SH				to 6300', variagated leaves, slow grower	2-3'
05/07-05/08	S	<i>Forestiera neomexicana</i>	PRIVET, NEW MEXICAN	7500	FC		y	y	L-M	Y	4	8-15'	S-PS	apr			to7500', dense rounded shrub, fall yellow, male/female separate	8-12'
05/07-05/08	S	<i>Forestiera neomexicana</i>	PRIVET, NEW MEXICAN	7500	FC		y	y	L-M	Y	4	8-15'	S-PS	apr			to7500', dense rounded shrub, fall yellow, male/female separate	8-12'
05/07-05/08	S	<i>Holodiscus dumosus</i>	Rock Spirea	10000	PF		y	y	L	W	3	3-6'	S-PS	jn-jl			to 10,000', flower spray russet in fall	3-6'
05/07-05/08	S	<i>Forsythia ovata 'Northern Gold'</i>	FORSYTHIA, NORTHERN GOLD	7500	FC				M	Y	3	8'	S	m			to 7500', Canadian, upright form	5-7'
05/07-05/08	S	<i>Forsythia viridissima koreana 'Kumson'</i>	FORSYTHIA, KUMSUN	7500	FC				M	Y	4	4-6'	S	apr			to 7500', veins white on green leaves	3-5'
05/07-05/08	S	<i>Lonicera 'Pink Velvet'</i>	Shrub Honeysuckle	7500	PF				L	P	3	7-9'	S-PS	m			to 7500', volunteers	7-11'
05/07-05/08	S	<i>Hydrangea arborescens (Bee Friendly™)</i>	HYDRANGEA, BEE FRIENDLY	6300	FC				M	W	4	3-4'	PS-SH	sum			to 6300', wants well drained soil, dies to ground ea. Year, attracts amazing amount of bees !	3-4'
05/07-05/08	S	<i>Hydrangea arborescens 'Annabelle'</i>	HYDRANGEA, ANNABELLE	6300	FC				M	W	3	3-4'	PS-SH	sum			to 6300', wants well drained soil, dies to ground ea. Year, dry flower arrangements	3-4'
05/07-05/08	S	<i>Pinus artistata – Bristlecone Wilson</i>	Bristlecone 'Wilson' pine	11000	LP				L		2	dwarf	S-PS				to 11,000', white dots of resin on needles, contorts in wind	

05/07-05/08	S	<i>Pinus banksiana</i>	Jack Pine 'Angel'	9000	LP					M		2	dwarf	S				to 9000', irregular form, grows farthest n on Canada	
05/07-05/08	S	<i>Pinus cembra</i>	Swiss Stone Pine 'Chalet'		LP					M		4	dwarf	S				from the Alps, slow grower, avoid hot locations	
05/07-05/08	S	<i>Pinus edulis</i>	Dwarf Pinon 'Farmy'	7500	LP					VL		4	dwarf	S-PS				to 7500', slow grower, edible seeds, can handle heat	
05/07-05/08	S	<i>Pinus edulis – Tiny Ripples</i>	Pinon Pine 'Tiny Ripples'	7500	LP					VL		4	dwarf	S-PS				to 7500', slow grower, edible seeds, can handle heat	
05/07-05/08	S	<i>Pinus flexilis</i>	Limber Pine 'Cherokee''	10,000	LP					L		4	dwarf	S-PS				to 10,000', flexible limbs shed snow, 5 needle bundles, dwarf broom from Cherokee Par, Northwest Ft Collins, the bluest needle color of the dwarfs	
05/07-05/08	S	<i>Pinus flexilis – Saunny</i>	Limber Pine 'Saunny'	10,000	LP					L		4	dwarf	S-PS				to 10,000', flexible limbs shed snow, 5 needle bundles	
05/07-05/08	S	<i>Pinus leucodermis</i>	Bosnian Pine 'Slim Whitey'	6000	LP					L		5	dwarf	S-PS				to 6000', young cones bright blue, needs protected location - winter burn	
05/07-05/08	S	<i>Pinus leucodermis</i>	Bosnian Pine 'Irish Bell'	6000	LP					L		5	dwarf	S-PS				to 6000', young cones bright blue, needs protected location - winter burn	
05/07-05/08	S	<i>Pinus monophylla</i>	Single Needle Pinyon 'Blue Jazz'	9000	LP			y		L		5	dwarf	S				to 9000', found in dry locations, avoid cold location	
05/07-05/08	S	<i>Pinus monophylla</i>	Single Needle Pinyon 'Tiny Taylor'	9000	LP					L		5	dwarf	S				to 9000', found in dry locations, avoid cold location	
05/07-05/08	S	<i>Pinus mugo</i>	Mugo Pine 'Sherwood Compact'	8500	LP					L		5	dwarf	S				to 8500', multi-stem, spreading, slow growing	
05/07-05/08	S	<i>Pinus ponderosa</i>	Poderosa Pine 'Marguerite'	9000	LP		y	y		L		3	dwarf	S				to 9000', cinnamon bark as ages, when warm vanilla smell, hot & dry	
05/07-05/08	S	<i>Pinus sylvestris</i>	Scotch Pine 'Albysn'	6500	LP					L		2	dwarf	S				to 6500', bark flaking orange-red, trunk may 'S', branching artfull, easy to grow	
05/07-05/08	S	<i>Ligustrum vulgare 'Cheyenne'</i>	PRIVET, CHEYENNE	8000	FC			y		L	W	3	6-8'	S-PS	m-jn			to 7500', upright habit, black fruit late summer, hardy; from Cheyenne Station	4-6'
05/07-05/08	S	<i>Prunus virginiana</i>	Chokecherry	10000	PF		y	y		L	W	2	15-25'	S-PS	m			to 10,000', suckers, native, flower clusters, fruit edible, fast grower	15-20'
05/07-05/08	S	<i>Lonicera syringantha wolfii ?</i>	Tiny Trumpets Honeysuckle	7500	FC					M	lt Violet	4	3-6'	S	m-jn			to 7500', fragrant, horizontal growth habit,	6-9'
05/07-05/08	S	<i>Purshia tridentata</i>	Antelope Bitterbrush	6500	PF			y		L	W-G	3	2-10'	S	a-jn			to 6500+', similar to sagebrush but no smell, bitter fruit	3-4'
05/07-05/08	S	<i>Mahonia repens</i>	HOLLY, CREEPING OREGON GRAPE	10000	FC		y	y		L	Y	5	1-3'	PS	A-JUL			to 9000', avoid w exposure, volunteers a bit, rock garden	12-18"
05/07-05/08	S	<i>Perovskia atriplicifolia ?</i>	Russian Sage	8500	FC					VL	B-PUR	5	3-4'	S	aug-s			to 8500', showy, spring trim back to live wood, anti-deer, spreads	3-4'
05/07-05/08	S	<i>Physocarpus opulifolius 'Dart's Gold'</i>	NINEBARK, DART'S GOLD	7500	FC					L	W	2	5'	S	apr-m			to 7500', leaves yellow/green, hardy	5-6'
05/07-05/08	S	<i>Pinus mugo 'Emerald Dwarf' ?</i>	Emerald Dwarf Mugo pine		FC					L		2		S				to 7500', multi-stemmed, slow grower	
05/07-05/08	S	<i>Salvia pachphylla</i>	Mojave Sage	7000	PF					VL	B, Rose	5	2'	S	sum			to 7000', rock garden, showy blue flowers w/ rose bracts, leaves silver-gray, good drainage	24-30"
05/07-05/08	S	<i>Potentilla fruticosa 'Goldfinger' ?</i>	Goldfinger Potentilla	10,000	FC					L	yel	2	3-4'	S	jn-jl			to 10,000', bright flowers may persist, anti-deer	3-4'
05/07-05/08	S	<i>Potentilla fruticosa 'Pink Beauty'</i>	POTENTILLA, PINK BEAUTY	10000	FC					L	P	2	3-4'	S	sum			to 8000', Canadian, best on eastern exposure	3-4'
05/07-05/08	S	<i>Prunus besseyi ?</i>	Western Sand Cherry	9000	FC		Y	y		L	W	2	5-6'	S	may			to 9000', edible black cherries, fall - soft red, likes heat, birds	5-6'
05/07-05/08	S	<i>Prunus besseyi 'P011S'</i>	SAND CHERRY, PAWNEE BUTTES(R)	8125	FC	y					W	3	15-18"	S-PS	apr			to 9000', fragrant, black fruit for wildlife, low growing	4-6'
05/07-05/08	S	<i>Prunus tomentosa</i>	CHERRY, NANKING	8500	FC						P	3	8'	S-PS	m	R		to 8500', edible fruit, fragrant, picturesque	10-15'
05/07-05/08	S	<i>Prunus virginiana 'Canada Red'</i>	CHOKECHERRY, CANADA RED	9000	FC					L	W	2	20-25'	S	m			to 9000', suckers, green leaves go red in June, edible fruit, fast grower, wants to be multistem	18-25'

05/07-05/08	S	<i>Rhus aromatica 'Gro-Low'</i>	SUMAC, GRO-LOW	8500	FC				L	Y	3	2-3'	S	m	R		to 8500', fall yellow to red, velvet red fruit July	6-8'
05/07-05/08	S	<i>Rhus trilobata ?</i>	Three-leaf Sumac	9000	FC		Y	y	VL	Y	3	3-6'	S	may			to 9000', fall - red-orange, berries dependent on water timing	3-6'
05/07-05/08	S	<i>Rhus typhina</i>	SUMAC, STAGHORN	8500	FC				L	Y-G	4	15-20'	S	jn			to 8500', colonizes, tropical leaf look, fall red, fruit crimson pyramidal thru winter	12-16'
05/07-05/08	S	<i>Ribes nigrum 'Alagan'</i>	CURRENT, ALAGAN BLACK	8000	FC					W	4	5-6'	S-PS	m	BLA		to 8000', high 'C' & antioxidants, dense growth, edible pur-black fruit, birds, butterflies	3-4'
05/07-05/08	S	<i>Ribes x 'Jostaberry'</i>	JOSTABERRY GOOSEBERRY	8000	FC					W	4	4-5'	S	m	BLA		to 8000', x of black currant & gooseberry, thorn-less, fruit also x, CSU recommends	4-5'
05/07-05/08	S	<i>Ribes x 'Tasti-Berry'</i>	CURRENT, TASTI-BERRY	8000	FC					W	4	3'4'	S	m	BLA		to 8000', x of black currant & gooseberry, thorns & sweeter than jostaberry	3-4'
05/07-05/08	S	<i>Sambucus racemosa 'Sutherland Gold'</i>	ELDERBERRY, SUTHERLAND CUTLEAF GOLD	8000	FC				M	W	3	6-8'	S-PS	jn	R		to 8000', leaves lacey looking, fragrant, red fruit if another elderberry nearby	6-8'
05/07-05/08	S	<i>Shepherdia argentea</i>	BUFFALOBERRY, SILVER	8500	FC		y	y	VL	Y-W	3	10-15'	S	m			to 8500', shrub/tree form, replaces Russian Olive tree, silver/green leaves, male/female separate	10-12'
05/07-05/08	S	<i>Spiraea japonica 'Gold Mound'</i>	SPIREA, GOLD MOUND	7500	FC				L-M	P	4	2-3'	S-PS	jn-jl			to 7500', yel/gold leaves, use for contrast	2-3'
05/07-05/08	S	<i>Spiraea nipponica 'Snowmound'</i>	SPIREA, SNOWMOUND	8000	FC				L-M	W	3	3-5'	S-PS	m			to 8000', flower clusters along stems	3-5'
05/07-05/08	S	<i>Spiraea x bumalda 'Froebeli'</i>	SPIREA, FROEBEL	7500	FC				L-M	P	3	3-4'	S-PS	m-jn			to 7500', fall pur/red, prune after spring bloom	3-4'
05/07-05/08	S	<i>Syringa microphylla 'Cheyenne'</i>	LILAC, CHEYENNE LITTLELEAF	8000	FC				L	P	4	6-9'	S	m-jn			to 8000', small leaves, rebloom in Sept possible, fragrant, from Cheyenne Station	9-12'
05/07-05/08	S	<i>Viburnum x rhytidophylloides 'Alleghany' ?</i>	Alleghany viburnum	6500	FC	y			L	W	4	8-10'	S-PS	may			to 6500', upright & dense, red berries, loses leaves late, PS 1997	8-10'
05/07-05/08	V	<i>ARTICHOKE 'Imperial Star'</i>	Imperial Star' artichoke - annual		G				M-H			1.5-3'	S		G	95	Produces thornless, sweet, mild "chokes" the first year.	
05/07-05/08	V	<i>BROCCOLI 'Packman'</i>	Packman' broccoli - annual		G				M-H			22"	S		green	57	Mid-early broccoli with a large heavy head, good dome shape and medium size beads.	
05/07-05/08	V	<i>CABBAGE 'Stonehead'</i>	Stonehead' cabbage - annual		G				M-H			12-15"	S		green	50	Popular early cabbage w/ round, rock-solid heads which hold, no bursting, resists yellow & black rot.	
05/07-05/08	V	<i>CAULIFLOWER 'Graffiti'</i>	Graffiti' cauliflower - annual		G				M-H			18-24"	S		purple	80	Unique purple heads draw attention anywhere they are served or sold	
05/07-05/08	V	<i>CAULIFLOWER 'Snow Crown'</i>	Snow Crown' cauliflower - annual		G				M-H			18-24"	S		white	68	Pure white heads are protected from sun by upright growing leaves. AAS Winner	
05/07-05/08	V	<i>CUCUMBER 'English Tendergreen Burpless'</i>	English Tendergreen Burpless' cucumber - annual		G				M-H			Vine	S		green	55	7" burpless, English cucumber; tender and non bitter, needs no peeling before eating	
05/07-05/08	V	<i>CUCUMBER 'Pick-A-Bushel'</i>	Pick-A-Bushel' cucumber - annual		G				M-H			Vine	S		green	50	Extremely productive; great for patio pots or gardens, compact	
05/07-05/08	V	<i>ONION 'Super Star'</i>	Super Star' onion - annual		G				L-M			12-18"	S		W	100	Jumbo sized sweet white onions at one pound or more each, great for eating raw or cooking, AAS winner	
05/07-05/08	V	<i>PEPPER - HOT 'Red Cherry Large Hot'</i>	Red Cherry Large Hot' pepper - annual		G				M-H			2-4'	S		R	80	Cherry shaped. Red. 5,000 scovilles	

05/07-05/08	VI	<i>Lonicera sempervirens 'Major Wheeler'</i>	MAJOR WHEELER HONEYSUCKLE	7000	FC					R	4	6-8'	S-PS	m-jl			to 7000', long bloomer, hummingbirds, blooms on old & new growth, needs good support	vine
05/07-05/08	VI	<i>Lonicera tatarica 'Arnold Red'</i>	HONEYSUCKLE, ARNOLD RED	10000	FC			L	R-P	3	8-10'	S-PS	m	R			to 10,000', broad rounded form, red berries jl-aug	6-8'
05/07-05/08	VI	<i>Polygonum aubertii</i>	SILVER LACE VINE	9000	FC				W	4	20-30'	S-PS	jl-aug				to 9000', clusters of small flowers, fast growing, needs serious support, can be used for screening	vine